

Subject Code	Subject Name	Grade	MX1	MN1	MX2	MN2	MX3	MN3	TMX_	TMN_
AS-202	ORGANIC CHEMISTRY	3.5	025		075	030			100	040
BT-202	MOLECULAR BIOLOGY	4	025		075	030			100	040
BT-204	IMMUNOLOGY	3.5	025		075	030			100	040
BT-206	BIO-ANALYTICAL TECHNIQUE	3.5	025		075	030			100	040
BT-208	INDUSTRIAL MICROBIOLOGY & ENZYME TECHNOLOGY	3.5	025		075	030			100	040
BT-212	MOLECULAR BIOLOGY LAB	1.5	040		060	024			100	040
BT-214	IMMUNOLOGY LAB	1.5	040		060	024			100	040
BT-216	BIO-ANALYTICAL TECHNIQUE LAB	1.5	040		060	024			100	040
BT-218	INDUSTRIAL MICROBIOLOGY & ENZYME TECHNOLOGY LAB	1.5	040		060	024			100	040
MPC-201	ENVIORNMENT STUDIES***	0	025		075	030			100	040

Grade Template Used:

 Template Name : Grading Template
 Grade Scale : Ten Point Grading System

Sr. No.| Grade Abbreviation | From (Marks) | To (Marks) | Status | GradePoint | Description

1	A+	90.5	100	Pass	10.00	Outstanding
2	A	81.5	90.49	Pass	9.00	Excellent
3	B+	72.5	81.49	Pass	8.00	Very Good
4	B	63.5	72.49	Pass	7.00	Good
5	C+	54.5	63.49	Pass	6.00	Average
6	C	45.5	54.49	Pass	5.00	Below Average
7	D	39.5	45.49	Pass	4.00	Marginal
8	E	0	39.49	Fail	0.00	Poor
9	F	0	19.49	Fail	0.00	Very Poor

GPA TEMPLATE:

 Template Name : Grading Template
 Grade Scale : Ten Point Grading System

Sr. No.| Grade Abbreviation | From (GPA) | To (GPA) | Status | Description

1	A+	10	10	Pass	Outstanding
2	A	9	9.99	Pass	Excellent
3	B+	8	8.99	Pass	Very Good
4	B	7	7.99	Pass	Good
5	C+	6	6.99	Pass	Average
6	C	5	5.99	Pass	Below Average
7	D	4	4.99	Pass	Marginal
8	E	0	3.99	Fail	Poor
9	F	0	1.99	Fail	Very Poor

Date :- 06-02-2021

RESULT SHEET OF BACHELOR OF TECHNOLOGY SEM : 04 EXAMINATION MAY- 2020

03 BIOTECHNOLOGY

SET / DIST- UNIVERSITY INSTITUTE OF ENGINEERING & TECHNOLOGY KURUKSHETRA				MX SB	COM SUB	SBS SUB	ADL SUB	REP SUB	MAXIM MARK	MINM MARK	MX GR	REQ %	LOWE MAXM	OWF MINM	TOT GR	OTHE 1	%S 2	DV -1	DV -2												
				10				09	0900	0360	07																				
2514433	14-UT-247	CAT - R	00	AS-202	S	012	T	039	051	03.5	17.5		BT-202	S	014	T	048	062	04.0	24	BT-204	S	010	T	039	049	03.5	17.5	C		
VIJESH KUMAR		GRC -																													
VED PARKASH		GRT -	00	BT-206	S	015	T	034	049	03.5	17.5		BT-208	S	019	T	049	068	03.5	24.5	BT-212	S	025	P	033	058	01.5	9	C+		
PARVESH RANI																															
0524 / 0900				BT-214	S	033	P	035	068	01.5	10.5		BT-216	S	031	P	026	057	01.5	9	BT-218	S	028	P	034	062	01.5	9	C+		
				MPC-201	S	016	T	043	059	00.0																					
06-02-21	SR.NO.OF DMC-		001301																												
				SGPA 138.5 / 24.0 => 5.77																											
2514436	14-UT-226	CAT - R	00	AS-202	S	011	T	054	065	03.5	24.5		BT-202	S	013	T	037	050	04.0	20	BT-204	S	010	T	060	070	03.5	24.5	B		
KULVINDER LATHWAL		GRC -																													
PREM SINGH		GRT -	00	BT-206	S	009	T	068	077	03.5	28		BT-208	S	019	T	030	049	03.5	17.5	BT-212	S	020	P	035	055	01.5	9	C+		
ANITA DEVI																															
0540 / 0900				BT-214	S	026	P	028	054	01.5	7.5		BT-216	S	030	P	027	057	01.5	9	BT-218	S	031	P	032	063	01.5	9	C+		
				MPC-201	S	015	T	030	045	00.0																					
06-02-21	SR.NO.OF DMC-		001302																												
				SGPA 149.0 / 24.0 => 6.21																											
2514440	15-UT-408	CAT - R	04	AS-202	S	010	T	030	040	03.5	14		BT-202	S	000	T	047	047	04.0	20	BT-204	S	010	T	045	055	03.5	21	C+		
NEERAJ		GRC -																													
LAXMI NARAYAN		GRT -	04	BT-206	S	008	T	032	040	03.5	14		BT-208	S	017	T	043	060	03.5	21	BT-212	S	010	P	030	040	01.5	6	D		
SUMITRA																															
P-R-S RESULT				BT-214	S	032	P	024	056	01.5	9		BT-216	S	031	P	041	072	01.5	10.5	BT-218	S	030	P	033	063	01.5	9	C+		
				MPC-201	S	013	T	030	043	00.0																					
06-02-21	SR.NO.OF DMC-																														
				SGPA 124.5 / 24.0 => 5.19																											
251503003	15-UT-220	CAT - R	03	AS-202	S	006	T	054	060	03.5	21		BT-202	S	019	T	052	071	04.0	28	BT-204	S	010	T	033	043	03.5	14	D		
MAHESH KUMAR		GRC -																													
DHARAMPAL		GRT -	03	BT-206	S	007	T	033	040	03.5	14		BT-208	S	018	T	044	062	03.5	21	BT-212	S	015	P	032	047	01.5	7.5	C		
DAYAWATI																															
0506 / 0900				BT-214	S	024	P	026	050	01.5	7.5		BT-216	S	032	P	024	056	01.5	9	BT-218	S	028	P	049	077	01.5	12	B+		
				MPC-201	S	000	T	049	049	00.0																					
06-02-21	SR.NO.OF DMC-		001303																												
				SGPA 134.0 / 24.0 => 5.58																											

SET / DIST-	UNIVERSITY	INSTITUTE OF ENGINEERING & TECHNOLOGY	KURUKSHETRA	MX	COM	SBS	ADL	REP	MAXIM	MINM	MX	REQ	LOWE	LOWF	TOT	OTHE	%S	DV	DV	
				SB	SUB	SUB	SUB	SUB	MARK	MARK	GR	%	MAXM	MINM	GR	1	2	3	-1	-2
251503015 15-UT-223 HITA DHIMAN SUDHIR KUMAR ANITA RANI	CAT - GRC - R 00	R	AS-202	S	010	T	048	058	03.5	21	C+	BT-202	S	021	T	032	053	04.0	20	C
	GRT - 00		BT-206	S	015	T	034	049	03.5	17.5	C	BT-208	S	020	T	054	074	03.5	28	B+
			BT-214	S	034	P	042	076	01.5	12	B+	BT-216	S	033	P	031	064	01.5	10.5	B
0599 / 0900			MPC-201	S	021	T	038	059	00.0		C+									
06-02-21	SR.NO.OF DMC-	001304																		
SGPA 155.5 / 24.0 => 6.48																				
251503030 15-UT-246 SHREYA SHANDILYA G S TIWARI NIKLESH TIWARI	CAT - GRC - R 00	R	AS-202	S	011	T	038	049	03.5	17.5	C	BT-202	S	011	T	056	067	04.0	28	B
	GRT - 00		BT-206	S	014	T	034	048	03.5	17.5	C	BT-208	S	018	T	047	065	03.5	24.5	B
			BT-214	S	030	P	034	064	01.5	10.5	B	BT-216	S	032	P	028	060	01.5	9	C+
0529 / 0900			MPC-201	S	013	T	035	048	00.0		C									
06-02-21	SR.NO.OF DMC-	001305																		
SGPA 145.5 / 24.0 => 6.06																				
251503033 15-UT-247 DIKSHA SATBIR SHARMA KAMLESH SHARMA	CAT - GRC - R 01	R	AS-202	S	006	T	057	063	03.5	21	C+	BT-202	S	015	T	060	075	04.0	32	B+
	GRT - 01		BT-206	S	009	T	031	040	03.5	14	D	BT-208	S	019	T	053	072	03.5	24.5	B
			BT-214	S	018	P	038	056	01.5	9	C+	BT-216	S	035	P	033	068	01.5	10.5	B
0553 / 0900			MPC-201	S	019	T	044	063	00.0		C+									
06-02-21	SR.NO.OF DMC-	001306																		
SGPA 146.0 / 24.0 => 6.08																				
251503040 15-UT-250 HEMLATA SURAJ PAL SINGH CHAUHAN KAUSHALYA DEVI	CAT - GRC - R 00	R	AS-202	S	013	T	036	049	03.5	17.5	C	BT-202	S	008	T	033	041	04.0	16	D
	GRT - 00		BT-206	S	013	T	066	079	03.5	28	B+	BT-208	S	019	T	040	059	03.5	21	C+
			BT-214	S	034	P	032	066	01.5	10.5	B	BT-216	S	035	P	032	067	01.5	10.5	B
0530 / 0900			MPC-201	S	017	T	036	053	00.0		C									
06-02-21	SR.NO.OF DMC-	001307																		
SGPA 140.5 / 24.0 => 5.85																				

			MX SB	COM SUB	SBS SUB	ADL SUB	REP SUB	MAXIM MARK	MINM MARK	MX GR	REQ %	LOWE MAXM	OWF MINM	TOT GR	OTHE 1	%S 2	DV -1	DV -2								
			10	10	10	09	0900	0360	07																	
SET / DIST- UNIVERSITY INSTITUTE OF ENGINEERING & TECHNOLOGY KURUKSHETRA																										
251603002 16-UT-226 ABHIMANYU SURI AJAY SURI ANURADHA SURI	CAT - R GRC - 00 GRT - 00		AS-202	S	010	T	058	068	03.5	24.5	BT-202	S	010	T	056	066	04.0	28	BT-204	S	010	T	050	060	03.5	21
0585 / 0900			BT-206	S	015	T	052	067	03.5	24.5	BT-208	S	016	T	043	059	03.5	21	BT-212	S	030	P	048	078	01.5	12
			BT-214	S	025	P	028	053	01.5	7.5	BT-216	S	028	P	037	065	01.5	10.5	BT-218	S	032	P	037	069	01.5	10.5
06-02-21	SR.NO.OF DMC-	001308	MPC-201	S	014	T	042	056	00.0																	
SGPA 159.5 / 24.0 => 6.65																										
251603007 16-UT-218 AMANPREET KAUR AVTAR SINGH LAKHWINDER KAUR	CAT - R GRC - 00 GRT - 00		AS-202	S	010	T	048	058	03.5	21	BT-202	S	010	T	045	055	04.0	24	BT-204	S	008	T	032	040	03.5	14
0529 / 0900			BT-206	S	010	T	030	040	03.5	14	BT-208	S	015	T	058	073	03.5	28	BT-212	S	030	P	040	070	01.5	10.5
			BT-214	S	020	P	040	060	01.5	9	BT-216	S	031	P	038	069	01.5	10.5	BT-218	S	032	P	032	064	01.5	10.5
06-02-21	SR.NO.OF DMC-	001309	MPC-201	S	023	T	036	059	00.0																	
SGPA 141.5 / 24.0 => 5.90																										
251603008 16-UT-219 ANKIT KANWAR AJIT KUMAR NEETU	CAT - R GRC - 03 GRT - 03		AS-202	S	008	T	043	051	03.5	17.5	BT-202	S	010	T	056	066	04.0	28	BT-204	S	005	T	035	040	03.5	14
0514 / 0900			BT-206	S	010	T	066	076	03.5	28	BT-208	S	012	T	049	061	03.5	21	BT-212	S	029	P	039	068	01.5	10.5
			BT-214	S	016	P	024	040	01.5	6	BT-216	S	025	P	026	051	01.5	7.5	BT-218	S	030	P	031	061	01.5	9
06-02-21	SR.NO.OF DMC-	001310	MPC-201	S	012	T	044	056	00.0																	
SGPA 141.5 / 24.0 => 5.90																										
251603015 16-UT-232 DIPESH AMARPAL SINGH SUSHILA	CAT - R GRC - 00 GRT - 00		AS-202	S	005	T	048	053	03.5	17.5	BT-202	S	010	T	056	066	04.0	28	BT-204	S	003	T	060	063	03.5	21
0558 / 0900			BT-206	S	010	T	056	066	03.5	24.5	BT-208	S	012	T	072	084	03.5	31.5	BT-212	S	030	P	038	068	01.5	10.5
			BT-214	S	020	P	024	044	01.5	6	BT-216	S	028	P	025	053	01.5	7.5	BT-218	S	030	P	031	061	01.5	9
06-02-21	SR.NO.OF DMC-	001311	MPC-201	S	012	T	040	052	00.0																	
SGPA 155.5 / 24.0 => 6.48																										

			MX	COM	SBS	ADL	REP	MAXIM	MINM	MX	REQ	LOWE	LOWF	TOT	OTHE	%S	DV	DV										
			SB	SUB	SUB	SUB	SUB	MARK	MARK	GR	%	MAXM	MINM	GR	1	2	3	-1	-2									
			10				09	0900	0360	07																		
SET / DIST- UNIVERSITY INSTITUTE OF ENGINEERING & TECHNOLOGY KURUKSHETRA																												
251603023	16-UT-240																											
		CAT - R	AS-202	S	010	T	049	059	03.5	21	BT-202	S	010	T	033		043	04.0	16	BT-204	S	005	T	043	048	03.5	17.5	
MANISH		GRC - 00																										
SURAJ BHAN		GRT - 00	BT-206	S	010	T	038	048	03.5	17.5	BT-208	S	012	T	041		053	03.5	17.5	BT-212	S	030	P	037	067	01.5	10.5	
MUNNI DEVI																												
0477 / 0900			BT-214	S	021	P	027	048	01.5	7.5	BT-216	S	020	P	025		045	01.5	6	BT-218	S	031	P	035	066	01.5	10.5	
06-02-21	SR.NO.OF DMC-	001312	MPC-201	S	016	T	040	056	00.0																			
SGPA 124.0 / 24.0 => 5.17																												
251603024	16-UT-241																											
		CAT - R	AS-202	S	014	T	030	044	03.5	14	BT-202	S	011	T	050		061	04.0	24	BT-204	S	012	T	030	042	03.5	14	
MANISH		GRC - 04																										
SURENDER TANWAR		GRT - 04	BT-206	S	012	T	030	042	03.5	14	BT-208	S	020	T	044		064	03.5	24.5	BT-212	S	034	P	044	078	01.5	12	
RAJ DEVI																												
0536 / 0900			BT-214	S	029	P	040	069	01.5	10.5	BT-216	S	025	P	035		060	01.5	9	BT-218	S	034	P	042	076	01.5	12	
06-02-21	SR.NO.OF DMC-	001313	MPC-201	S	015	T	037	052	00.0																			
SGPA 134.0 / 24.0 => 5.58																												
251603028	16-UT-220																											
		CAT - R	AS-202	S	008	T	044	052	03.5	17.5	BT-202	S	010	T	048		058	04.0	24	BT-204	S	007	T	052	059	03.5	21	
NEERAJ YADAV		GRC - 00																										
VIRBHAN YADAV		GRT - 00	BT-206	S	010	T	064	074	03.5	28	BT-208	S	013	T	030		043	03.5	14	BT-212	S	034	P	032	066	01.5	10.5	
SHAKUNTLA																												
0523 / 0900			BT-214	S	020	P	024	044	01.5	6	BT-216	S	030	P	027		057	01.5	9	BT-218	S	033	P	037	070	01.5	10.5	
06-02-21	SR.NO.OF DMC-	001314	MPC-201	S	015	T	030	045	00.0																			
SGPA 140.5 / 24.0 => 5.85																												
251603032	16-UT-246																											
		CAT - R	AS-202	S	012	T	034	046	03.5	17.5	BT-202	S	010	T	056		066	04.0	28	BT-204	S	008	T	032	040	03.5	14	
PHAGUN JAIN		GRC - 02																										
SUDESH JAIN		GRT - 02	BT-206	S	010	T	032	042	03.5	14	BT-208	S	016	T	041		057	03.5	21	BT-212	S	028	P	038	066	01.5	10.5	
SEEMA JAIN																												
0516 / 0900			BT-214	S	026	P	035	061	01.5	9	BT-216	S	030	P	036		066	01.5	10.5	BT-218	S	033	P	039	072	01.5	10.5	
06-02-21	SR.NO.OF DMC-	001315	MPC-201	S	015	T	044	059	00.0																			
SGPA 135.0 / 24.0 => 5.63																												

SET / DIST-	UNIVERSITY	INSTITUTE OF ENGINEERING & TECHNOLOGY	KURUKSHETRA	MX	COM	SBS	ADL	REP	MAXIM	MINM	MX	REQ	LOWE	LOWF	TOT	OTHE	%S	DV	DV																	
				SB	SUB	SUB	SUB	SUB	MARK	MARK	GR	%	MAXM	MINM	GR	1	2	3	-1	-2																
				10	09	0900	0360	07																												
251603033	16-UT-222	PRANAV	JASHWANT SINGH	MANJU BALA	CAT -	R	AS-202	S	007	T	051	058	03.5	21	BT-202	S	010	T	056	066	04.0	28	BT-204	S	007	T	034	041	03.5	14	D					
					GRC -	00																														
					GRT -	00	BT-206	S	008	T	033	041	03.5	14	BT-208	S	015	T	038	053	03.5	17.5	BT-212	S	028	P	039	067	01.5	10.5	B					
0499 / 0900							BT-214	S	021	P	025	046	01.5	7.5	BT-216	S	032	P	031	063	01.5	9	BT-218	S	032	P	032	064	01.5	10.5	B					
06-02-21	SR.NO.OF DMC-	001316					MPC-201	S	018	T	031	049	00.0																							
SGPA 132.0 / 24.0 => 5.50																																				
251603034	16-UT-247	PRERNA	KULDEEP GAUTAM	ANUPMA GAUTAM	CAT -	R	AS-202	S	011	T	033	044	03.5	14	BT-202	S	010	T	056	066	04.0	28	BT-204	S	007	T	033	040	03.5	14	D					
					GRC -	03																														
					GRT -	03	BT-206	S	013	T	064	077	03.5	28	BT-208	S	013	T	045	058	03.5	21	BT-212	S	032	P	039	071	01.5	10.5	B					
0558 / 0900							BT-214	S	028	P	041	069	01.5	10.5	BT-216	S	028	P	034	062	01.5	9	BT-218	S	031	P	040	071	01.5	10.5	B					
06-02-21	SR.NO.OF DMC-	001317					MPC-201	S	018	T	035	053	00.0																							
SGPA 145.5 / 24.0 => 6.06																																				
251603037	16-UT-249	RAHUL	JAI SINGH	MANOJ	CAT -	R	AS-202	S	007	T	034	041	03.5	14	BT-202	S	010	T	054	064	04.0	28	BT-204	S	007	T	048	055	03.5	21	C+					
					GRC -	00																														
					GRT -	00	BT-206	S	008	T	058	066	03.5	24.5	BT-208	S	013	T	037	050	03.5	17.5	BT-212	S	030	P	038	068	01.5	10.5	B					
0511 / 0900							BT-214	S	021	P	024	045	01.5	6	BT-216	S	033	P	026	059	01.5	9	BT-218	S	031	P	032	063	01.5	9	C+					
06-02-21	SR.NO.OF DMC-	001318					MPC-201	S	017	T	041	058	00.0																							
SGPA 139.5 / 24.0 => 5.81																																				
251603045	16-UT-346	SUSHIL KUMAR	RAJ KARAN	KIRAN DEVI	CAT -	R	AS-202	S	006	T	042	048	03.5	17.5	BT-202	S	010	T	054	064	04.0	28	BT-204	S	010	T	031	041	03.5	14	D					
					GRC -	00																														
					GRT -	00	BT-206	S	010	T	030	040	03.5	14	BT-208	S	013	T	030	043	03.5	14	BT-212	S	030	P	039	069	01.5	10.5	B					
0487 / 0900							BT-214	S	027	P	038	065	01.5	10.5	BT-216	S	020	P	034	054	01.5	7.5	BT-218	S	030	P	033	063	01.5	9	C+					
06-02-21	SR.NO.OF DMC-	001319					MPC-201	S	015	T	041	056	00.0																							
SGPA 125.0 / 24.0 => 5.21																																				

			MX SB	COM SUB	SBS SUB	ADL SUB	REP SUB	MAXIM MARK	MINM MARK	MX GR	REQ %	LOWE MAXM	OWF MINM	TOT GR	OTHE 1 2 3	%S	DV -1	DV -2										
			10					09	0900	0360	07																	
SET / DIST- UNIVERSITY INSTITUTE OF ENGINEERING & TECHNOLOGY KURUKSHETRA																												
251603047	16-UT-224																											
		CAT - R	AS-202	S	010	T	045	055	03.5	21	BT-202	S	010	T	050		060	04.0	24	BT-204	S	010	T	AB	010	03.5	0	F
VIPUL SAINI		GRC - 00																										
SHYAM SINGH		GRT - 00	BT-206	S	010	T	034	044	03.5	14	BT-208	S	012	T	031		043	03.5	14	BT-212	S	032	P	037	069	01.5	10.5	B
RITA RANI																												
R- BT-204																												
			BT-214	S	026	P	024	050	01.5	7.5	BT-216	S	022	P	030		052	01.5	7.5	BT-218	S	035	P	031	066	01.5	10.5	B
RE- AS PER KU ORDIANCE																												
			MPC-201	S	015	T	034	049	00.0																			
06-02-21	SR.NO.OF DMC-	001320																										
SGPA 134.0 / 24.0 => 5.58																												
251603048	16-UT-258																											
		CAT - R	AS-202	S	005	T	046	051	03.5	17.5	BT-202	S	010	T	050		060	04.0	24	BT-204	S	004	T	058	062	03.5	21	C+
YOGESH NAGER		GRC - 00																										
SANJAY NAGER		GRT - 00	BT-206	S	010	T	060	070	03.5	24.5	BT-208	S	012	T	030		042	03.5	14	BT-212	S	030	P	037	067	01.5	10.5	B
DHIMESH NAGER																												
			BT-214	S	016	P	028	044	01.5	6	BT-216	S	020	P	026		046	01.5	7.5	BT-218	S	032	P	031	063	01.5	9	C+
0505 / 0900																												
			MPC-201	S	016	T	034	050	00.0																			
06-02-21	SR.NO.OF DMC-	001321																										
SGPA 134.0 / 24.0 => 5.58																												
251703006	17-UT-212																											
		CAT - R	AS-202	S	010	T	048	058	03.5	21	BT-202	S	011	T	054		065	04.0	28	BT-204	S	010	T	030	040	03.5	14	D
CHETANYA JINDAL		GRC - 00																										
AJAY KUMAR		GRT - 00	BT-206	S	011	T	060	071	03.5	24.5	BT-208	S	012	T	036		048	03.5	17.5	BT-212	S	024	P	024	048	01.5	7.5	C
SUDHA																												
			BT-214	S	018	P	030	048	01.5	7.5	BT-216	S	030	P	030		060	01.5	9	BT-218	S	030	P	043	073	01.5	12	B+
0511 / 0900																												
			MPC-201	S	014	T	043	057	00.0																			
06-02-21	SR.NO.OF DMC-	001322																										
SGPA 141.0 / 24.0 => 5.88																												
251703009	17-UT-201																											
		CAT - R	AS-202	S	013	T	031	044	03.5	14	BT-202	S	018	T	030		048	04.0	20	BT-204	S	017	T	052	069	03.5	24.5	B
GURU PRASAD		GRC - 04																										
MANGE RAM		GRT - 04	BT-206	S	012	T	030	042	03.5	14	BT-208	S	020	T	038		058	03.5	21	BT-212	S	030	P	045	075	01.5	12	B+
OM PATI																												
			BT-214	S	028	P	040	068	01.5	10.5	BT-216	S	032	P	035		067	01.5	10.5	BT-218	S	034	P	053	087	01.5	13.5	A
0558 / 0900																												
			MPC-201	S	015	T	041	056	00.0																			
06-02-21	SR.NO.OF DMC-	001323																										
SGPA 140.0 / 24.0 => 5.83																												

			MX	COM	SBS	ADL	REP	MAXIM	MINM	MX	REQ	LOWE	LOWR	TOT	OTHE	%S	DV	DV											
			SB	SUB	SUB	SUB	SUB	MARK	MARK	GR	%	MAXM	MINM	GR	1	2	3	-1	-2										
			10				09	0900	0360	07																			
SET / DIST- UNIVERSITY INSTITUTE OF ENGINEERING & TECHNOLOGY KURUKSHETRA																													
251703013									C											C+									
17-UT-203			CAT -	R	AS-202	S	010	T	039	049	03.5	17.5	BT-202	S	008	T	050	058	04.0	24	BT-204	S	002	T	048	050	03.5	17.5	
LEVESH			GRC -	00																									
SHIV DATT			GRT -	00	BT-206	S	007	T	060	067	03.5	24.5	BT-208	S	012	T	032	044	03.5	14	BT-212	S	020	P	035	055	01.5	9	
JAMUNA DEVI																													
R- BT-216																													
RE- AS PER KU ORDIANCE					BT-214	S	016	P	024	040	01.5	6	BT-216	S	000	P	030	030	01.5	0	F	BT-218	S	030	P	047	077	01.5	12
06-02-21	SR.NO.OF DMC-	001324			MPC-201	S	013	T	042	055	00.0																		

251703014									C+											C+									
17-UT-408			CAT -	R	AS-202	S	010	T	051	061	03.5	21	BT-202	S	014	T	041	055	04.0	24	BT-204	S	010	T	055	065	03.5	24.5	
MANDEEP ATTRI			GRC -	00																									
DHARA SINGH			GRT -	00	BT-206	S	007	T	064	071	03.5	24.5	BT-208	S	020	T	059	079	03.5	28	BT-212	S	035	P	038	073	01.5	12	
BHAGWATI DEVI																													
0599 / 0900					BT-214	S	016	P	030	046	01.5	7.5	BT-216	S	030	P	035	065	01.5	10.5	BT-218	S	033	P	051	084	01.5	13.5	
06-02-21	SR.NO.OF DMC-	001325			MPC-201	S	014	T	048	062	00.0																		

SGPA 165.5 / 24.0 => 6.90																													
251703023									C											B									
17-UT-204			CAT -	R	AS-202	S	006	T	045	051	03.5	17.5	BT-202	S	010	T	058	068	04.0	28	BT-204	S	001	T	060	061	03.5	21	
PANKAJ			GRC -	00																									
RAMDHAN			GRT -	00	BT-206	S	007	T	062	069	03.5	24.5	BT-208	S	012	T	072	084	03.5	31.5	BT-212	S	000	P	050	050	01.5	7.5	
YASHODA DEVI																													
R- BT-216																													
RE- AS PER KU ORDIANCE					BT-214	S	016	P	024	040	01.5	6	BT-216	S	000	P	032	032	01.5	0	F	BT-218	S	032	P	052	084	01.5	13.5
06-02-21	SR.NO.OF DMC-	001326			MPC-201	S	014	T	040	054	00.0																		

251703036									D											C+									
17-UT-234			CAT -	R	AS-202	S	010	T	030	040	03.5	14	BT-202	S	012	T	046	058	04.0	24	BT-204	S	014	T	038	052	03.5	17.5	
TANYA BHATIA			GRC -	05																									
SURESH BHATIA			GRT -	05	BT-206	S	009	T	041	050	03.5	17.5	BT-208	S	015	T	052	067	03.5	24.5	BT-212	S	032	P	040	072	01.5	10.5	
SEEMA BHATIA																													
0546 / 0900					BT-214	S	022	P	032	054	01.5	7.5	BT-216	S	033	P	038	071	01.5	10.5	BT-218	S	033	P	049	082	01.5	13.5	
06-02-21	SR.NO.OF DMC-	001327			MPC-201	S	014	T	046	060	00.0																		

SGPA 139.5 / 24.0 => 5.81																													

MX	COM	SBS	ADL	REP	MAXIM	MINM	MX	REQ	LOWE	LOWR	TOT	OTHE	%S	DV	DV	
SB	SUB	SUB	SUB	SUB	MARK	MARK	GR	%	MAXM	MINM	GR	1	2	3	-1	-2
				09	0900	0360	07									

SET / DIST- UNIVERSITY INSTITUTE OF ENGINEERING & TECHNOLOGY KURUKSHETRA

We Certify that the result has been checked after checking the awards, syllabus/scheme of Examination and found in accordance with the Rules & Regulations in force

We certify that the result has been not prepared after checking the syllabus/scheme of Examination and Rules & Regulations in force and has been scrutinized as the decision of the BOD.

May allow publication of the above result which has been fully checked,Scrutinized as per the syllabus & scheme of Examination and any error will be on the part of the UIET.

Publication allowed as certified by the Director UIET.

Scrutineer

Sign

Scrutineer

Sign

Controller of Examination (UIET)

Director (UIET)

Controller of Exam – II (KUK)