

| Subject Code | Subject Name   | Grade | MX1 | MN1 | MX2 | MN2 | MX3 | MN3 | TMX_ | TMN_ |
|--------------|--|-------|-----|-----|-----|-----|-----|-----|------|------|
| CSE-304      | ESSENTIALS OF INFORMATION TECHNOLOGY                   | 3.5   | 025 |     | 075 | 030 |     |     | 100  | 040  |
| CSE-314      | ESSENTIALS OF INFORMATION TECHNOLOGY LAB               | 1     | 040 |     | 060 | 024 |     |     | 100  | 040  |
| ME-302       | REFRIGERATION AND AIR-CONDITIONING                     | 3.5   | 025 |     | 075 | 030 |     |     | 100  | 040  |
| ME-304       | MECHANICAL VIBRATION & TRIBOLOGY                       | 3.5   | 025 |     | 075 | 030 |     |     | 100  | 040  |
| ME-306       | OPERATIONS RESEARCH                                    | 3.5   | 025 |     | 075 | 030 |     |     | 100  | 040  |
| ME-308       | COMPUTER AIDED DESIGN AND COMPUTER AIDED MANUFACTURING | 4     | 025 |     | 075 | 030 |     |     | 100  | 040  |
| ME-310       | MACHINE DESIGN-II                                      | 4     | 025 |     | 075 | 030 |     |     | 100  | 040  |
| ME-312       | REFRIGERATION AND AIR-CONDITIONING LAB                 | 1     | 040 |     | 060 | 024 |     |     | 100  | 040  |
| ME-314       | MECHANICAL VIBRATION AND TRIBOLOGY LAB                 | 1     | 040 |     | 060 | 024 |     |     | 100  | 040  |
| ME-316       | CAD/CAM LAB  | 1     | 040 |     | 060 | 024 |     |     | 100  | 040  |

Grade Template Used:

-----  
 Template Name : Grading Template  
 Grade Scale : Ten Point Grading System  
 -----

Sr. No. | Grade Abbreviation | From (Marks) | To (Marks) | Status | GradePoint | Description

|   |    |      |       |      |       |               |
|---|----|------|-------|------|-------|---------------|
| 1 | A+ | 90.5 | 100   | Pass | 10.00 | Outstanding   |
| 2 | A  | 81.5 | 90.49 | Pass | 9.00  | Excellent     |
| 3 | B+ | 72.5 | 81.49 | Pass | 8.00  | Very Good     |
| 4 | B  | 63.5 | 72.49 | Pass | 7.00  | Good          |
| 5 | C+ | 54.5 | 63.49 | Pass | 6.00  | Average       |
| 6 | C  | 45.5 | 54.49 | Pass | 5.00  | Below Average |
| 7 | D  | 39.5 | 45.49 | Pass | 4.00  | Marginal      |
| 8 | E  | 0    | 39.49 | Fail | 0.00  | Poor          |
| 9 | F  | 0    | 19.49 | Fail | 0.00  | Very Poor     |

GPA TEMPLATE:

-----  
 Template Name : Grading Template  
 Grade Scale : Ten Point Grading System  
 -----

Sr. No. | Grade Abbreviation | From (GPA) | To (GPA) | Status | Description

|   |    |    |      |      |               |
|---|----|----|------|------|---------------|
| 1 | A+ | 10 | 10   | Pass | Outstanding   |
| 2 | A  | 9  | 9.99 | Pass | Excellent     |
| 3 | B+ | 8  | 8.99 | Pass | Very Good     |
| 4 | B  | 7  | 7.99 | Pass | Good          |
| 5 | C+ | 6  | 6.99 | Pass | Average       |
| 6 | C  | 5  | 5.99 | Pass | Below Average |
| 7 | D  | 4  | 4.99 | Pass | Marginal      |
| 8 | E  | 0  | 3.99 | Fail | Poor          |
| 9 | F  | 0  | 1.99 | Fail | Very Poor     |





|  |               |          | MX      | COM | SBS | ADL | REP | MAXIM | MINM | MX   | REQ     | LOWE | LOWF | TOT | OTHE | %S | DV  | DV   |      |        |   |     |   |     |     |      |      |
|--|---------------|----------|---------|-----|-----|-----|-----|-------|------|------|---------|------|------|-----|------|----|-----|------|------|--------|---|-----|---|-----|-----|------|------|
|  |               |          | SB      | SUB | SUB | SUB | SUB | MARK  | MARK | GR   | %       | MAXM | MINM | GR  | 1    | 2  | 3   | -1   | -2   |        |   |     |   |     |     |      |      |
|  |               |          | 10      |     |     |     |     | 09    | 1000 | 0400 | 07      |      |      |     |      |    |     |      |      |        |   |     |   |     |     |      |      |
| SET / DIST- UNIVERSITY INSTITUTE OF ENGINEERING & TECHNOLOGY KURUKSHETRA |               |          |         |     |     |     |     |       |      |      |         |      |      |     |      |    |     |      |      |        |   |     |   |     |     |      |      |
| 251504072  | 16-UT-423     |          | CSE-304 | S   | 012 | T   | 048 | 060   | 03.5 | 21   | CSE-314 | S    | 024  | P   | 050  |    | 074 | 01.0 | 8    | ME-302 | S | 014 | T | 030 | 044 | 03.5 | 14   |
|  |               | CAT - R  |         |     |     |     |     |       |      |      |         |      |      |     |      |    |     |      |      |        |   |     |   |     |     |      |      |
|  |               | GRC - 00 |         |     |     |     |     |       |      |      |         |      |      |     |      |    |     |      |      |        |   |     |   |     |     |      |      |
|  |               | GRT - 00 | ME-304  | S   | 012 | T   | 070 | 082   | 03.5 | 31.5 | ME-306  | S    | 014  | T   | 043  |    | 057 | 03.5 | 21   | ME-308 | S | 016 | T | 048 | 064 | 04.0 | 28   |
|  |               |          |         |     |     |     |     |       |      |      |         |      |      |     |      |    |     |      |      |        |   |     |   |     |     |      |      |
| 0643 / 1000  |               |          | ME-310  | S   | 011 | T   | 030 | 041   | 04.0 | 16   | ME-312  | S    | 029  | P   | 024  |    | 053 | 01.0 | 5    | ME-314 | S | 030 | P | 050 | 080 | 01.0 | 8    |
|  |               |          |         |     |     |     |     |       |      |      |         |      |      |     |      |    |     |      |      |        |   |     |   |     |     |      |      |
| 06-02-21   | SR.NO.OF DMC- | 002019   | ME-316  | S   | 035 | P   | 053 | 088   | 01.0 | 9    |         |      |      |     |      |    |     |      |      |        |   |     |   |     |     |      |      |
| SGPA 161.5 / 26.0 => 6.21  |               |          |         |     |     |     |     |       |      |      |         |      |      |     |      |    |     |      |      |        |   |     |   |     |     |      |      |
| 251504073  | 16-UT-394     |          | CSE-304 | S   | 011 | T   | 050 | 061   | 03.5 | 21   | CSE-314 | S    | 022  | P   | 032  |    | 054 | 01.0 | 5    | ME-302 | S | 011 | T | 070 | 081 | 03.5 | 28   |
|  |               | CAT - R  |         |     |     |     |     |       |      |      |         |      |      |     |      |    |     |      |      |        |   |     |   |     |     |      |      |
|  |               | GRC - 00 |         |     |     |     |     |       |      |      |         |      |      |     |      |    |     |      |      |        |   |     |   |     |     |      |      |
|  |               | GRT - 00 | ME-304  | S   | 010 | T   | 066 | 076   | 03.5 | 28   | ME-306  | S    | 010  | T   | 044  |    | 054 | 03.5 | 17.5 | ME-308 | S | 017 | T | 052 | 069 | 04.0 | 28   |
|  |               |          |         |     |     |     |     |       |      |      |         |      |      |     |      |    |     |      |      |        |   |     |   |     |     |      |      |
| 0689 / 1000  |               |          | ME-310  | S   | 005 | T   | 068 | 073   | 04.0 | 32   | ME-312  | S    | 023  | P   | 026  |    | 049 | 01.0 | 5    | ME-314 | S | 030 | P | 050 | 080 | 01.0 | 8    |
|  |               |          |         |     |     |     |     |       |      |      |         |      |      |     |      |    |     |      |      |        |   |     |   |     |     |      |      |
| 06-02-21   | SR.NO.OF DMC- | 002020   | ME-316  | S   | 037 | P   | 055 | 092   | 01.0 | 10   |         |      |      |     |      |    |     |      |      |        |   |     |   |     |     |      |      |
| SGPA 182.5 / 26.0 => 7.02  |               |          |         |     |     |     |     |       |      |      |         |      |      |     |      |    |     |      |      |        |   |     |   |     |     |      |      |
| 251504076  | 16-UT-395     |          | CSE-304 | S   | 012 | T   | 050 | 062   | 03.5 | 21   | CSE-314 | S    | 024  | P   | 035  |    | 059 | 01.0 | 6    | ME-302 | S | 013 | T | 033 | 046 | 03.5 | 17.5 |
|  |               | CAT - R  |         |     |     |     |     |       |      |      |         |      |      |     |      |    |     |      |      |        |   |     |   |     |     |      |      |
|  |               | GRC - 00 |         |     |     |     |     |       |      |      |         |      |      |     |      |    |     |      |      |        |   |     |   |     |     |      |      |
|  |               | GRT - 00 | ME-304  | S   | 013 | T   | 031 | 044   | 03.5 | 14   | ME-306  | S    | 014  | T   | 045  |    | 059 | 03.5 | 21   | ME-308 | S | 019 | T | 040 | 059 | 04.0 | 24   |
|  |               |          |         |     |     |     |     |       |      |      |         |      |      |     |      |    |     |      |      |        |   |     |   |     |     |      |      |
| 0593 / 1000  |               |          | ME-310  | S   | 010 | T   | 030 | 040   | 04.0 | 16   | ME-312  | S    | 028  | P   | 030  |    | 058 | 01.0 | 6    | ME-314 | S | 030 | P | 050 | 080 | 01.0 | 8    |
|  |               |          |         |     |     |     |     |       |      |      |         |      |      |     |      |    |     |      |      |        |   |     |   |     |     |      |      |
| 06-02-21   | SR.NO.OF DMC- | 002021   | ME-316  | S   | 034 | P   | 052 | 086   | 01.0 | 9    |         |      |      |     |      |    |     |      |      |        |   |     |   |     |     |      |      |
| SGPA 142.5 / 26.0 => 5.48  |               |          |         |     |     |     |     |       |      |      |         |      |      |     |      |    |     |      |      |        |   |     |   |     |     |      |      |
| 251504077  | 16-UT-414     |          | CSE-304 | S   | 006 | T   | 056 | 062   | 03.5 | 21   | CSE-314 | S    | 020  | P   | 050  |    | 070 | 01.0 | 7    | ME-302 | S | 014 | T | 066 | 080 | 03.5 | 28   |
|  |               | CAT - R  |         |     |     |     |     |       |      |      |         |      |      |     |      |    |     |      |      |        |   |     |   |     |     |      |      |
|  |               | GRC - 00 |         |     |     |     |     |       |      |      |         |      |      |     |      |    |     |      |      |        |   |     |   |     |     |      |      |
|  |               | GRT - 00 | ME-304  | S   | 012 | T   | 032 | 044   | 03.5 | 14   | ME-306  | S    | 015  | T   | 030  |    | 045 | 03.5 | 14   | ME-308 | S | 016 | T | 030 | 046 | 04.0 | 20   |
|  |               |          |         |     |     |     |     |       |      |      |         |      |      |     |      |    |     |      |      |        |   |     |   |     |     |      |      |
| 0648 / 1000  |               |          | ME-310  | S   | 014 | T   | 064 | 078   | 04.0 | 32   | ME-312  | S    | 029  | P   | 028  |    | 057 | 01.0 | 6    | ME-314 | S | 030 | P | 050 | 080 | 01.0 | 8    |
|  |               |          |         |     |     |     |     |       |      |      |         |      |      |     |      |    |     |      |      |        |   |     |   |     |     |      |      |
| 06-02-21   | SR.NO.OF DMC- | 002022   | ME-316  | S   | 033 | P   | 053 | 086   | 01.0 | 9    |         |      |      |     |      |    |     |      |      |        |   |     |   |     |     |      |      |
| SGPA 159.0 / 26.0 => 6.12  |               |          |         |     |     |     |     |       |      |      |         |      |      |     |      |    |     |      |      |        |   |     |   |     |     |      |      |



|  |           |                      | MX      | COM | SBS | ADL | REP | MAXIM | MINM | MX   | REQ     | LOWE    | LOWF | TOT | OTHE | %S  | DV  | DV   |      |        |        |     |     |     |     |      |      |      |
|--|-----------|----------------------|---------|-----|-----|-----|-----|-------|------|------|---------|---------|------|-----|------|-----|-----|------|------|--------|--------|-----|-----|-----|-----|------|------|------|
|  |           |                      | SB      | SUB | SUB | SUB | SUB | MARK  | MARK | GR   | %       | MAXM    | MINM | GR  | 1    | 2   | 3   | -1   | -2   |        |        |     |     |     |     |      |      |      |
|  |           |                      | 10      |     |     |     | 09  | 1000  | 0400 | 07   |         |         |      |     |      |     |     |      |      |        |        |     |     |     |     |      |      |      |
| SET / DIST- UNIVERSITY INSTITUTE OF ENGINEERING & TECHNOLOGY KURUKSHETRA |           |                      |         |     |     |     |     |       |      |      |         |         |      |     |      |     |     |      |      |        |        |     |     |     |     |      |      |      |
| 251604029  | 16-UT-289 |                      |         |     |     |     |     |       | B+   |      |         |         |      |     |      |     |     |      |      |        |        | C   |     |     |     |      |      |      |
|  |           | CAT - R              | CSE-304 | S   | 015 | T   | 060 | 075   | 03.5 | 28   | CSE-314 | S       | 021  | P   | 025  |     | 046 | 01.0 | 5    | ME-302 | S      | 020 | T   | 038 | 058 | 03.5 | 21   |      |
| HARSHPREET SINGH   |           | GRC - 00             |         |     |     |     |     |       |      |      |         |         |      |     |      |     |     |      |      |        |        |     |     |     |     |      |      |      |
| JASPAL SINGH   |           | GRT - 00             | ME-304  | S   | 013 | T   | 035 | 048   | 03.5 | 17.5 | ME-306  | S       | 020  | T   | 036  |     | 056 | 03.5 | 21   | ME-308 | S      | 021 | T   | 035 | 056 | 04.0 | 24   |      |
| BALJEET KAUR   |           |                      |         |     |     |     |     |       |      |      |         |         |      |     |      |     |     |      |      |        |        |     |     |     |     |      |      |      |
| 0650 / 1000  |           |                      | ME-310  | S   | 010 | T   | 060 | 070   | 04.0 | 28   | ME-312  | S       | 031  | P   | 044  |     | 075 | 01.0 | 8    | ME-314 | S      | 035 | P   | 048 | 083 | 01.0 | 9    |      |
| 06-02-21   |           | SR.NO.OF DMC- 002027 | ME-316  | S   | 035 | P   | 048 | 083   | 01.0 | 9    |         |         |      |     |      |     |     |      |      |        |        |     |     |     |     |      |      |      |
| SGPA 170.5 / 26.0 => 6.56  |           |                      |         |     |     |     |     |       |      |      |         |         |      |     |      |     |     |      |      |        |        |     |     |     |     |      |      |      |
| 251604045  | 16-UT-303 |                      |         |     |     |     |     |       | F    |      |         |         |      |     |      |     |     |      |      |        |        | C   |     |     |     |      |      |      |
|  |           | CAT - R              | CSE-304 | S   | 015 | T   | AB  | 015   | 03.5 | 0    | F       | CSE-314 | S    | 020 | P    | 027 |     | 047  | 01.0 | 5      | ME-302 | S   | 016 | T   | 030 | 046  | 03.5 | 17.5 |
| DEEPANSHU  |           | GRC - 00             |         |     |     |     |     |       |      |      |         |         |      |     |      |     |     |      |      |        |        |     |     |     |     |      |      |      |
| AJAY KUMAR   |           | GRT - 00             | ME-304  | S   | 014 | T   | 070 | 084   | 03.5 | 31.5 | ME-306  | S       | 018  | T   | 031  |     | 049 | 03.5 | 17.5 | ME-308 | S      | 019 | T   | 051 | 070 | 04.0 | 28   |      |
| R- CSE-304   |           |                      |         |     |     |     |     |       |      |      |         |         |      |     |      |     |     |      |      |        |        |     |     |     |     |      |      |      |
| RE- AS PER KU ORDIANCE   |           |                      | ME-310  | S   | 011 | T   | 068 | 079   | 04.0 | 32   | ME-312  | S       | 027  | P   | 045  |     | 072 | 01.0 | 7    | ME-314 | S      | 030 | P   | 047 | 077 | 01.0 | 8    |      |
| 06-02-21   |           | SR.NO.OF DMC- 002028 | ME-316  | S   | 037 | P   | 052 | 089   | 01.0 | 9    |         |         |      |     |      |     |     |      |      |        |        |     |     |     |     |      |      |      |
| SGPA 203.0 / 26.0 => 7.81  |           |                      |         |     |     |     |     |       |      |      |         |         |      |     |      |     |     |      |      |        |        |     |     |     |     |      |      |      |
| 251604050  | 16-UT-308 |                      |         |     |     |     |     |       | C+   |      |         |         |      |     |      |     |     |      |      |        |        | C   |     |     |     |      |      |      |
|  |           | CAT - R              | CSE-304 | S   | 016 | T   | 046 | 062   | 03.5 | 21   | CSE-314 | S       | 020  | P   | 028  |     | 048 | 01.0 | 5    | ME-302 | S      | 015 | T   | 070 | 085 | 03.5 | 31.5 |      |
| NAVEEN KUMAR   |           | GRC - 00             |         |     |     |     |     |       |      |      |         |         |      |     |      |     |     |      |      |        |        |     |     |     |     |      |      |      |
| MUKESH KUMAR   |           | GRT - 00             | ME-304  | S   | 013 | T   | 069 | 082   | 03.5 | 31.5 | ME-306  | S       | 017  | T   | 058  |     | 075 | 03.5 | 28   | ME-308 | S      | 020 | T   | 035 | 055 | 04.0 | 24   |      |
| ANITA  |           |                      |         |     |     |     |     |       |      |      |         |         |      |     |      |     |     |      |      |        |        |     |     |     |     |      |      |      |
| 0737 / 1000  |           |                      | ME-310  | S   | 018 | T   | 064 | 082   | 04.0 | 36   | ME-312  | S       | 028  | P   | 056  |     | 084 | 01.0 | 9    | ME-314 | S      | 032 | P   | 039 | 071 | 01.0 | 7    |      |
| 06-02-21   |           | SR.NO.OF DMC- 002029 | ME-316  | S   | 036 | P   | 057 | 093   | 01.0 | 10   |         |         |      |     |      |     |     |      |      |        |        |     |     |     |     |      |      |      |
| SGPA 203.0 / 26.0 => 7.81  |           |                      |         |     |     |     |     |       |      |      |         |         |      |     |      |     |     |      |      |        |        |     |     |     |     |      |      |      |
| 251604053  | 16-UT-271 |                      |         |     |     |     |     |       | C+   |      |         |         |      |     |      |     |     |      |      |        |        | C   |     |     |     |      |      |      |
|  |           | CAT - R              | CSE-304 | S   | 017 | T   | 045 | 062   | 03.5 | 21   | CSE-314 | S       | 026  | P   | 028  |     | 054 | 01.0 | 5    | ME-302 | S      | 013 | T   | 035 | 048 | 03.5 | 17.5 |      |
| GURMEET SINGH  |           | GRC - 05             |         |     |     |     |     |       |      |      |         |         |      |     |      |     |     |      |      |        |        |     |     |     |     |      |      |      |
| KARAM SINGH  |           | GRT - 05             | ME-304  | S   | 017 | T   | 030 | 047   | 03.5 | 17.5 | ME-306  | S       | 021  | T   | 050  |     | 071 | 03.5 | 24.5 | ME-308 | S      | 020 | T   | 040 | 060 | 04.0 | 24   |      |
| BHARPAI DEVI   |           |                      |         |     |     |     |     |       |      |      |         |         |      |     |      |     |     |      |      |        |        |     |     |     |     |      |      |      |
| 0634 / 1000  |           |                      | ME-310  | S   | 019 | T   | 035 | 054   | 04.0 | 20   | ME-312  | S       | 032  | P   | 053  |     | 085 | 01.0 | 9    | ME-314 | S      | 029 | P   | 040 | 069 | 01.0 | 7    |      |
| 06-02-21   |           | SR.NO.OF DMC- 002030 | ME-316  | S   | 036 | P   | 048 | 084   | 01.0 | 9    |         |         |      |     |      |     |     |      |      |        |        |     |     |     |     |      |      |      |
| SGPA 154.5 / 26.0 => 5.94  |           |                      |         |     |     |     |     |       |      |      |         |         |      |     |      |     |     |      |      |        |        |     |     |     |     |      |      |      |

|   |                         |               | MX SB   | COM SUB | SBS SUB | ADL SUB | REP SUB | MAXIM MARK | MINM MARK | MX GR | REQ %   | LOWE MAXM | OWF MINM | TOT GR | OTHE 1 | %S 2 | DV -1 | DV -2 |      |        |   |     |   |     |     |      |      |    |    |    |
|---|-------------------------|---------------|---------|---------|---------|---------|---------|------------|-----------|-------|---------|-----------|----------|--------|--------|------|-------|-------|------|--------|---|-----|---|-----|-----|------|------|----|----|----|
|   |                         |               | 10      |         |         |         | 09      | 1000       | 0400      | 07    |         |           |          |        |        |      |       |       |      |        |   |     |   |     |     |      |      |    |    |    |
| SET / DIST- UNIVERSITY INSTITUTE OF ENGINEERING & TECHNOLOGY KURUKSHETRA        |                         |               |         |         |         |         |         |            |           |       |         |           |          |        |        |      |       |       |      |        |   |     |   |     |     |      |      |    |    |    |
| 251604055<br>16-UT-311<br>AJAY KUMAR SINDHU<br>DAHARMENDER KUMAR<br>SARITA DEVI | CAT -<br>GRC -<br>GRT - | R<br>00<br>00 | CSE-304 | S       | 019     | T       | 049     | 068        | 03.5      | 24.5  | CSE-314 | S         | 030      | P      | 028    |      | 058   | 01.0  | 6    | ME-302 | S | 019 | T | 036 | 055 | 03.5 | 21   | B  | C+ | C+ |
| 0698 / 1000   |                         |               | ME-304  | S       | 017     | T       | 066     | 083        | 03.5      | 31.5  | ME-306  | S         | 018      | T      | 039    |      | 057   | 03.5  | 21   | ME-308 | S | 021 | T | 041 | 062 | 04.0 | 24   | A  | C+ | C+ |
|   |                         |               | ME-310  | S       | 012     | T       | 044     | 056        | 04.0      | 24    | ME-312  | S         | 034      | P      | 056    |      | 090   | 01.0  | 9    | ME-314 | S | 034 | P | 050 | 084 | 01.0 | 9    | C+ | A  | A  |
| 06-02-21  | SR.NO.OF DMC-           | 002031        | ME-316  | S       | 035     | P       | 050     | 085        | 01.0      | 9     |         |           |          |        |        |      |       |       |      |        |   |     |   |     |     |      | A    |    |    |    |
| SGPA 179.0 / 26.0 => 6.88   |                         |               |         |         |         |         |         |            |           |       |         |           |          |        |        |      |       |       |      |        |   |     |   |     |     |      |      |    |    |    |
| 251604057<br>16-UT-273<br>ANKUR CHOUDHARY<br>FAQUIR CHAND<br>SANJOGTA RANI      | CAT -<br>GRC -<br>GRT - | R<br>00<br>00 | CSE-304 | S       | 017     | T       | 042     | 059        | 03.5      | 21    | CSE-314 | S         | 028      | P      | 034    |      | 062   | 01.0  | 6    | ME-302 | S | 014 | T | 037 | 051 | 03.5 | 17.5 | C+ | C+ | C  |
| 0695 / 1000   |                         |               | ME-304  | S       | 018     | T       | 066     | 084        | 03.5      | 31.5  | ME-306  | S         | 021      | T      | 044    |      | 065   | 03.5  | 24.5 | ME-308 | S | 022 | T | 032 | 054 | 04.0 | 20   | A  | B  | C  |
|   |                         |               | ME-310  | S       | 011     | T       | 066     | 077        | 04.0      | 32    | ME-312  | S         | 033      | P      | 049    |      | 082   | 01.0  | 9    | ME-314 | S | 031 | P | 046 | 077 | 01.0 | 8    | B+ | A  | B+ |
| 06-02-21  | SR.NO.OF DMC-           | 002032        | ME-316  | S       | 034     | P       | 050     | 084        | 01.0      | 9     |         |           |          |        |        |      |       |       |      |        |   |     |   |     |     |      | A    |    |    |    |
| SGPA 178.5 / 26.0 => 6.87   |                         |               |         |         |         |         |         |            |           |       |         |           |          |        |        |      |       |       |      |        |   |     |   |     |     |      |      |    |    |    |
| 251604058<br>16-UT-312<br>PAWAN KUMAR<br>SUBHASH CHAND<br>INDRAWATI             | CAT -<br>GRC -<br>GRT - | R<br>00<br>00 | CSE-304 | S       | 016     | T       | 044     | 060        | 03.5      | 21    | CSE-314 | S         | 024      | P      | 029    |      | 053   | 01.0  | 5    | ME-302 | S | 016 | T | 033 | 049 | 03.5 | 17.5 | C+ | C  | C  |
| 0619 / 1000   |                         |               | ME-304  | S       | 012     | T       | 031     | 043        | 03.5      | 14    | ME-306  | S         | 018      | T      | 050    |      | 068   | 03.5  | 24.5 | ME-308 | S | 019 | T | 035 | 054 | 04.0 | 20   | D  | B  | C  |
|   |                         |               | ME-310  | S       | 011     | T       | 040     | 051        | 04.0      | 20    | ME-312  | S         | 029      | P      | 044    |      | 073   | 01.0  | 8    | ME-314 | S | 028 | P | 051 | 079 | 01.0 | 8    | C  | B+ | B+ |
| 06-02-21  | SR.NO.OF DMC-           | 002033        | ME-316  | S       | 037     | P       | 052     | 089        | 01.0      | 9     |         |           |          |        |        |      |       |       |      |        |   |     |   |     |     |      | A    |    |    |    |
| SGPA 147.0 / 26.0 => 5.65   |                         |               |         |         |         |         |         |            |           |       |         |           |          |        |        |      |       |       |      |        |   |     |   |     |     |      |      |    |    |    |
| 251604059<br>16-UT-313<br>SHIVAM CHOUDHARY<br>SURESH CHAND<br>KUSUM LATA        | CAT -<br>GRC -<br>GRT - | R<br>00<br>00 | CSE-304 | S       | 016     | T       | 031     | 047        | 03.5      | 17.5  | CSE-314 | S         | 020      | P      | 033    |      | 053   | 01.0  | 5    | ME-302 | S | 012 | T | 033 | 045 | 03.5 | 14   | C  | C  | D  |
| 0660 / 1000   |                         |               | ME-304  | S       | 015     | T       | 072     | 087        | 03.5      | 31.5  | ME-306  | S         | 018      | T      | 030    |      | 048   | 03.5  | 17.5 | ME-308 | S | 023 | T | 041 | 064 | 04.0 | 28   | A  | C  | B  |
|   |                         |               | ME-310  | S       | 010     | T       | 062     | 072        | 04.0      | 28    | ME-312  | S         | 031      | P      | 045    |      | 076   | 01.0  | 8    | ME-314 | S | 033 | P | 048 | 081 | 01.0 | 8    | B  | B+ | B+ |
| 06-02-21  | SR.NO.OF DMC-           | 002034        | ME-316  | S       | 034     | P       | 053     | 087        | 01.0      | 9     |         |           |          |        |        |      |       |       |      |        |   |     |   |     |     |      | A    |    |    |    |
| SGPA 166.5 / 26.0 => 6.40   |                         |               |         |         |         |         |         |            |           |       |         |           |          |        |        |      |       |       |      |        |   |     |   |     |     |      |      |    |    |    |

|  |               |          | MX      | COM | SBS | ADL | REP | MAXIM | MINM | MX   | REQ | LOWE    | LOWF | TOT | OTHE | %S  | DV  | DV   |      |    |        |   |     |   |     |     |      |      |    |
|--|---------------|----------|---------|-----|-----|-----|-----|-------|------|------|-----|---------|------|-----|------|-----|-----|------|------|----|--------|---|-----|---|-----|-----|------|------|----|
|  |               |          | SB      | SUB | SUB | SUB | SUB | MARK  | MARK | GR   | %   | MAXM    | MINM | GR  | 1    | 2   | 3   | -1   | -2   |    |        |   |     |   |     |     |      |      |    |
|  |               |          | 10      |     |     |     | 09  | 1000  | 0400 | 07   |     |         |      |     |      |     |     |      |      |    |        |   |     |   |     |     |      |      |    |
| SET / DIST- UNIVERSITY INSTITUTE OF ENGINEERING & TECHNOLOGY KURUKSHETRA |               |          |         |     |     |     |     |       |      |      |     |         |      |     |      |     |     |      |      |    |        |   |     |   |     |     |      |      |    |
| 251604060  | 16-UT-314     |          |         |     |     |     |     |       |      |      |     |         |      |     |      |     |     |      |      |    |        |   |     |   |     |     |      |      |    |
|  |               | CAT - R  | CSE-304 | S   | 015 | T   | 042 | 057   | 03.5 | 21   | C+  | CSE-314 | S    | 020 | P    | 026 | 046 | 01.0 | 5    | C  | ME-302 | S | 012 | T | 070 | 082 | 03.5 | 31.5 | A  |
| ABHINAV KUMAR  |               | GRC - 00 |         |     |     |     |     |       |      |      |     |         |      |     |      |     |     |      |      |    |        |   |     |   |     |     |      |      |    |
| RAMESH CHAND   |               | GRT - 00 | ME-304  | S   | 012 | T   | 066 | 078   | 03.5 | 28   | B+  | ME-306  | S    | 018 | T    | 048 | 066 | 03.5 | 24.5 | B  | ME-308 | S | 019 | T | 048 | 067 | 04.0 | 28   | B  |
| RANI DEVI  |               |          |         |     |     |     |     |       |      |      |     |         |      |     |      |     |     |      |      |    |        |   |     |   |     |     |      |      |    |
| 0694 / 1000  |               |          | ME-310  | S   | 010 | T   | 058 | 068   | 04.0 | 28   | B   | ME-312  | S    | 020 | P    | 049 | 069 | 01.0 | 7    | B  | ME-314 | S | 031 | P | 039 | 070 | 01.0 | 7    | B  |
| 06-02-21   | SR.NO.OF DMC- | 002035   | ME-316  | S   | 037 | P   | 054 | 091   | 01.0 | 10   | A+  |         |      |     |      |     |     |      |      |    |        |   |     |   |     |     |      |      |    |
| SGPA 190.0 / 26.0 => 7.31  |               |          |         |     |     |     |     |       |      |      |     |         |      |     |      |     |     |      |      |    |        |   |     |   |     |     |      |      |    |
| 251604061  | 17-UT-346     |          |         |     |     |     |     |       |      |      |     |         |      |     |      |     |     |      |      |    |        |   |     |   |     |     |      |      |    |
|  |               | CAT - R  | CSE-304 | S   | 016 | T   | 056 | 072   | 03.5 | 24.5 | B   | CSE-314 | S    | 027 | P    | 029 | 056 | 01.0 | 6    | C+ | ME-302 | S | 016 | T | 030 | 046 | 03.5 | 17.5 | C  |
| AJAY   |               | GRC - 00 |         |     |     |     |     |       |      |      |     |         |      |     |      |     |     |      |      |    |        |   |     |   |     |     |      |      |    |
| SULTAN   |               | GRT - 00 | ME-304  | S   | 016 | T   | 070 | 086   | 03.5 | 31.5 | A   | ME-306  | S    | 017 | T    | 048 | 065 | 03.5 | 24.5 | B  | ME-308 | S | 020 | T | 040 | 060 | 04.0 | 24   | C+ |
| DIMPAL   |               |          |         |     |     |     |     |       |      |      |     |         |      |     |      |     |     |      |      |    |        |   |     |   |     |     |      |      |    |
| 0706 / 1000  |               |          | ME-310  | S   | 012 | T   | 062 | 074   | 04.0 | 32   | B+  | ME-312  | S    | 032 | P    | 050 | 082 | 01.0 | 9    | A  | ME-314 | S | 032 | P | 047 | 079 | 01.0 | 8    | B+ |
| 06-02-21   | SR.NO.OF DMC- | 002036   | ME-316  | S   | 036 | P   | 050 | 086   | 01.0 | 9    | A   |         |      |     |      |     |     |      |      |    |        |   |     |   |     |     |      |      |    |
| SGPA 186.0 / 26.0 => 7.15  |               |          |         |     |     |     |     |       |      |      |     |         |      |     |      |     |     |      |      |    |        |   |     |   |     |     |      |      |    |
| 251604067  | 17-UT-305     |          |         |     |     |     |     |       |      |      |     |         |      |     |      |     |     |      |      |    |        |   |     |   |     |     |      |      |    |
|  |               | CAT - R  | CSE-304 | S   | 016 | T   | 058 | 074   | 03.5 | 28   | B+  | CSE-314 | S    | 027 | P    | 029 | 056 | 01.0 | 6    | C+ | ME-302 | S | 014 | T | 038 | 052 | 03.5 | 17.5 | C  |
| BALJEET SINGH  |               | GRC - 00 |         |     |     |     |     |       |      |      |     |         |      |     |      |     |     |      |      |    |        |   |     |   |     |     |      |      |    |
| TARA SINGH   |               | GRT - 00 | ME-304  | S   | 013 | T   | 070 | 083   | 03.5 | 31.5 | A   | ME-306  | S    | 019 | T    | 032 | 051 | 03.5 | 17.5 | C  | ME-308 | S | 023 | T | 051 | 074 | 04.0 | 32   | B+ |
| CHAINA BERMAN  |               |          |         |     |     |     |     |       |      |      |     |         |      |     |      |     |     |      |      |    |        |   |     |   |     |     |      |      |    |
| 0725 / 1000  |               |          | ME-310  | S   | 013 | T   | 066 | 079   | 04.0 | 32   | B+  | ME-312  | S    | 031 | P    | 056 | 087 | 01.0 | 9    | A  | ME-314 | S | 034 | P | 048 | 082 | 01.0 | 9    | A  |
| 06-02-21   | SR.NO.OF DMC- | 002037   | ME-316  | S   | 037 | P   | 050 | 087   | 01.0 | 9    | A   |         |      |     |      |     |     |      |      |    |        |   |     |   |     |     |      |      |    |
| SGPA 191.5 / 26.0 => 7.37  |               |          |         |     |     |     |     |       |      |      |     |         |      |     |      |     |     |      |      |    |        |   |     |   |     |     |      |      |    |
| 251604070  | 17-UT-351     |          |         |     |     |     |     |       |      |      |     |         |      |     |      |     |     |      |      |    |        |   |     |   |     |     |      |      |    |
|  |               | CAT - R  | CSE-304 | S   | 015 | T   | 048 | 063   | 03.5 | 21   | C+  | CSE-314 | S    | 028 | P    | 028 | 056 | 01.0 | 6    | C+ | ME-302 | S | 017 | T | 030 | 047 | 03.5 | 17.5 | C  |
| HIMANSHU DHINGRA   |               | GRC - 00 |         |     |     |     |     |       |      |      |     |         |      |     |      |     |     |      |      |    |        |   |     |   |     |     |      |      |    |
| RAKESH DHINGRA   |               | GRT - 00 | ME-304  | S   | 015 | T   | 030 | 045   | 03.5 | 14   | D   | ME-306  | S    | 019 | T    | 030 | 049 | 03.5 | 17.5 | C  | ME-308 | S | 021 | T | 034 | 055 | 04.0 | 24   | C+ |
| POOJA DHINGRA  |               |          |         |     |     |     |     |       |      |      |     |         |      |     |      |     |     |      |      |    |        |   |     |   |     |     |      |      |    |
| 0641 / 1000  |               |          | ME-310  | S   | 011 | T   | 068 | 079   | 04.0 | 32   | B+  | ME-312  | S    | 034 | P    | 050 | 084 | 01.0 | 9    | A  | ME-314 | S | 033 | P | 045 | 078 | 01.0 | 8    | B+ |
| 06-02-21   | SR.NO.OF DMC- | 002038   | ME-316  | S   | 035 | P   | 050 | 085   | 01.0 | 9    | A   |         |      |     |      |     |     |      |      |    |        |   |     |   |     |     |      |      |    |
| SGPA 158.0 / 26.0 => 6.08  |               |          |         |     |     |     |     |       |      |      |     |         |      |     |      |     |     |      |      |    |        |   |     |   |     |     |      |      |    |

| SET / DIST- | UNIVERSITY    | INSTITUTE OF ENGINEERING & TECHNOLOGY | KURUKSHETRA  | MX SB      | COM SUB | SBS SUB  | ADL SUB  | REP SUB | MAXIM MARK | MINM MARK | MX GR | REQ %   | LOWE MAXM | OWF MINM | TOT GR | OTHE 1 | %S 2 | DV -1 | DV -2 |    |        |   |     |   |     |     |      |      |
|-------------|---------------|---------------------------------------|--------------|------------|---------|----------|----------|---------|------------|-----------|-------|---------|-----------|----------|--------|--------|------|-------|-------|----|--------|---|-----|---|-----|-----|------|------|
| 251604072   | 17-UT-353     | NIKHIL YADAV                          | TEJPAL YADAV | RENU YADAV | CAT - R | GRC - 00 | GRT - 00 |         | 062        | 03.5      | 21    | CSE-314 | S         | 027      | P      | 030    |      | 057   | 01.0  | 6  | ME-302 | S | 018 | T | 049 | 067 | 03.5 | 24.5 |
|             |               |                                       |              |            |         |          |          |         | 044        | 03.5      | 14    | ME-306  | S         | 020      | T      | 038    |      | 058   | 03.5  | 21 | ME-308 | S | 020 | T | 052 | 072 | 04.0 | 28   |
| 0686 / 1000 |               |                                       |              |            |         |          |          |         | 072        | 04.0      | 28    | ME-312  | S         | 028      | P      | 055    |      | 083   | 01.0  | 9  | ME-314 | S | 035 | P | 048 | 083 | 01.0 | 9    |
| 06-02-21    | SR.NO.OF DMC- |                                       |              |            |         |          |          |         | 088        | 01.0      | 9     |         |           |          |        |        |      |       |       |    |        |   |     |   |     |     |      |      |

SGPA 169.5 / 26.0 =&gt; 6.52

|             |               |               |              |             |         |          |          |  |     |      |      |         |   |     |   |     |  |     |      |      |        |   |     |   |     |     |      |      |
|-------------|---------------|---------------|--------------|-------------|---------|----------|----------|--|-----|------|------|---------|---|-----|---|-----|--|-----|------|------|--------|---|-----|---|-----|-----|------|------|
| 251604076   | 17-UT-356     | RAHUL KASHYAP | RAMESH CHAND | RESHMA DEVI | CAT - R | GRC - 00 | GRT - 00 |  | 072 | 03.5 | 24.5 | CSE-314 | S | 027 | P | 028 |  | 055 | 01.0 | 6    | ME-302 | S | 019 | T | 045 | 064 | 03.5 | 24.5 |
|             |               |               |              |             |         |          |          |  | 055 | 03.5 | 21   | ME-306  | S | 020 | T | 046 |  | 066 | 03.5 | 24.5 | ME-308 | S | 020 | T | 042 | 062 | 04.0 | 24   |
| 0701 / 1000 |               |               |              |             |         |          |          |  | 073 | 04.0 | 32   | ME-312  | S | 033 | P | 050 |  | 083 | 01.0 | 9    | ME-314 | S | 036 | P | 049 | 085 | 01.0 | 9    |
| 06-02-21    | SR.NO.OF DMC- |               |              |             |         |          |          |  | 086 | 01.0 | 9    |         |   |     |   |     |  |     |      |      |        |   |     |   |     |     |      |      |

SGPA 183.5 / 26.0 =&gt; 7.06

|           |               |                |               |                 |         |          |          |  |     |      |      |         |   |     |   |     |  |     |      |      |        |   |     |   |     |     |      |      |
|-----------|---------------|----------------|---------------|-----------------|---------|----------|----------|--|-----|------|------|---------|---|-----|---|-----|--|-----|------|------|--------|---|-----|---|-----|-----|------|------|
| 251604078 | 17-UT-358     | VAIBHAV GULATI | MUKESH GULATI | PRIYANKA GULATI | CAT - R | GRC - 00 | GRT - 00 |  | 053 | 03.5 | 17.5 | CSE-314 | S | 028 | P | 037 |  | 065 | 01.0 | 7    | ME-302 | S | 014 | T | 038 | 052 | 03.5 | 17.5 |
|           |               |                |               |                 |         |          |          |  | 046 | 03.5 | 17.5 | ME-306  | S | 020 | T | 031 |  | 051 | 03.5 | 17.5 | ME-308 | S | 020 | T | 042 | 062 | 04.0 | 24   |
|           |               |                |               |                 |         |          |          |  | 041 | 04.0 | 16   | ME-312  | S | 031 | P | 048 |  | 079 | 01.0 | 8    | ME-314 | S | 035 | P | 050 | 085 | 01.0 | 9    |
| 06-02-21  | SR.NO.OF DMC- |                |               |                 |         |          |          |  | 087 | 01.0 | 9    |         |   |     |   |     |  |     |      |      |        |   |     |   |     |     |      |      |

SGPA 143.0 / 26.0 =&gt; 5.50

We Certify that the result has been checked after checking the awards. syllabus/scheme of Examination and found in accordance with the Rules & Regulations in force

We certify that the result has been not prepared after checking the syllabus/scheme of Examination and Rules & Regulations in force and has been scrutinized as the decision of the BOD.

May allow publication of the above result which has been fully checked. Scrutinized as per the syllabus & scheme of Examination and any error will be on the part of the UIET.

Publication allowed as certified by the Director UIET.

Scrutineer

Sign

Scrutineer

Sign

Controller of Examination (UIET)

Director (UIET)

Controller of Exam – II (KUK)